


Roller Blind Fabrics

Arctica


almedahls



Arctica 917132 - 8




Arctica 917132 - 606




Arctica 917132 - 634




Arctica 917132 - 324




Arctica 917132 - 117




Arctica 917132 - 509




Arctica 917132 - 217




Arctica 917132 - 702



Arctica 917132 - 513



Arctica 917132 - 511



↔
warp direction

Product Specification

| | |
|---------------------|------------------------------|
| Fabric | Arctica 917132 |
| Suitable for panels | Yes |
| Composition | 100% PES |
| Width | 200 cm |
| Weight | 150 g/m ² |
| Thickness | 0,30 mm |
| Finish | White or dyed. Stiffened. |
| Light fastness | Min 5 - 6 |
| Light transmission | Transparent |
| Shrinkage | Max 1% |
| Approx. roll length | 40 lm |

Optical Information Solar Values

| Fabric | Refl. % | Trans. % | Absorp. % |
|--------------------|---------|----------|-----------|
| Arctica 917132-117 | 35 | 60 | 5 |
| Arctica 917132-217 | 30 | 40 | 30 |
| Arctica 917132-324 | 35 | 60 | 5 |
| Arctica 917132-509 | 35 | 60 | 5 |
| Arctica 917132-511 | 30 | 40 | 30 |
| Arctica 917132-513 | 35 | 60 | 5 |
| Arctica 917132-606 | 35 | 60 | 5 |
| Arctica 917132-634 | 35 | 60 | 5 |
| Arctica 917132-702 | 30 | 40 | 30 |
| Arctica 917132-8 | 35 | 60 | 5 |

Specifications

Composition: CO = Cotton, ECO CO = Ecological cotton, LI = Linen, PA = Polyamid, PES = Polyester, PLA = Polylactic Acid, REC PES = Recycled Polyester, VI = Viscose

Light fastness: Tested according to SS ISO 105-B02. Best value 8. Natural fibers fade when unbleached.

Shrinkage: Values are valid at normal use and cleaning in accordance with the instructions. Please note that natural fibers shrink depending on climate.

ÖkoTex: According to ÖkoTex Standard 100.

Sound classification: Tested according to SS EN ISO 354:2003

Cleaning recommendations: Vacuum cleaning and/or gentle wiping with a sponge and a soft detergent. Do not soak, do not use any other solvents and do not rub.

Cutting: Cold cutting of fabrics is recommended.

Non- PVC: None of our fabrics contain PVC.

Sustainability: Environmental declaration and energy values are available on request.

Optical values: Tested according to ISO 7724 Part 1, 2, 3. Textile materials are by nature slightly different from one batch to another. For this reason we report the values in intervals of $\pm 5\%$. The human eye will not conceive this as a difference. We indicate the values of the base fabric for printed items, as this have the most influence on the optical values.